MAY 1 5 2001

U.S.S.N. 09/479,467 STERNBERG et al. AMENDMENT TECH CENTER 1600/2900

R

stringency, and that is present in the genome of a *Caenorhabditis* nematode, wherein a *Caenorhabditis* elegans expressing the LOV-1 protein exhibits normal location of vulva and response male nematode sensory behaviors; and

d) a sequence of nucleotides degenerate with the sequence of nucleotides of c).

- B2_
- 5. (Amended) The isolated nucleic acid molecule of claim 1 that comprises a sequence of nucleotides that encodes the sequence of amino acids set forth in SEQ ID No. 4.
- B3
- 9. (Amended) An isolated gene that encodes a nematode LOV-1 protein, comprising the nucleic acid molecule of claim 1.
- 15. (Amended) An isolated nucleic acid molecule that encodes a mutant *Caenorhabditis* LOV-1 protein, wherein:
- a Caenorhabditis elegans nematode expressing the mutant protein exhibits defective mating behavior;

a nematode that expresses such defect exhibits one or both of an altered location of vulva (Lov) and response phenotype; and

a wild-type LOV-1 protein is encoded by the nucleic acid molecule of claim 1.

- Br
- 27. (Amended) A transgenic Caenorhabditis species nematode, comprising the vector of claim 26.
- 86
- 29. (Amended) The transgenic nematode of claim 27, wherein: the nematode is *Caenorhabditis elegans* (*C. elegans*); and the vector or a gene-encoding portion is integrated into the *C. elegans*

genome

31. (Amended) The transgenic nematode of claim 27, wherein:
the nucleic acid molecule encodes a mutant LOV-1 protein;
a nematode expressing the mutant protein exhibits defective mating behavior;

U.S.S.N. 09/479,467 STERNBERG et al. AMENDMENT

behavior;

B9

a nematode that expresses such defect exhibits one or both of an altered location of vulva (Lov) and response phenotype.

32. (Amended) The transgenic nematode of claim 30, wherein: the nucleic acid molecule encodes a mutant LOV-1 protein; a nematode expressing the nutant protein exhibits defective mating

a nematode that expresses such defect exhibits one or both of an altered location of vulva (Lov) and response phenotype.

- 49. (Amended) An isolated nucleic acid molecule of claim 15, comprising a sequence of nucleotides that encodes the sequence of amino acids set forth in SEQ ID No. 15.
- 42. (Amended) A transgenic Caenorhabditis nematode, comprising the nucleic acid molecule of claim 15.
 - 74. (Amended) A method for identifying genes or regulatory factors involved in polycystic kidney diseases, comprising:

mutagenizing Caenorhabditis elegans transgenic nematodes that contain a dominant negative lov-1 transgene;

selecting nematodes or offspring thereof that exhibit a further loss in function of the lov-1 transgene by observing mating behaviors; and identifying the mutations and genes responsible for the loss.

76. (Amended) A method for identifying regulators and factors necessary for synthesis and transport of *LOV-1* protein;

preparing a transgenic Caenorhabditis elegans nematode that expresses a detectable marker linked to LOV-1 protein;

mutagenizing the nematode;

selecting nematodes or of spring thereof that have altered patterns of expression of LOV-1; and

identifying the gene responsible for the alteration.

U.S.S.N. 09/479,467 STERNBERG et al. AMENDMENT

77. (Amended) A method for identifying transcriptional regulators of *lov-1*, comprising:

B"

preparing a transgenic *Caenorhabditis elegans* nematode that expresses a detectable marker linked to *LOV-1* protein;

mutagenizing the nematode;

selecting nematodes or offspring thereof that altered levels of expression of the protein.

82. (Amended) A method for identifying genes or regulatory factors involved in polycystic kidney diseases, comprising:

treating Caenorhabditis elegans nematodes with a test compound or mutagenizing them;

selecting nematodes or the offspring thereof that exhibit altered clumping behavior when seeded on a lawn of bacteria, wherein:

an alteration in the behavior is indicative of change in the genotype of the lov-1 locus, such that the wild-type males exhibit clumping behavior, and males with a mutation in the lov-1 locus that alters activity of the LOV-1 protein are randomly dispersed in the bacterial pwn;

mutagenizing the nematedes that are randomly dispersed in the bacterial lawn;

selecting males or the offspring thereof that exhibit a partial or complete restoration of the wild-type behavior;

analyzing the mutations of the males or the offspring thereof that exhibit a partial or complete restoration of the wild-type behavior; and identifying the genes or mutations responsible for the restoration.

83. (Amended) The method of claim 82, wherein the genes or mutations are genetic supressors of *lov-1* mutants.